Note:

Some of the Jim Murray Film interview transcripts contain occasional typed errors. These transcripts may have been transcribed by a third-party transcription agency, a film crew member, or a campus employee. This interview conversion into written form may have been used for initial review, film planning, etc.

# These documents are digitized and provided on an "as is," uncorrected basis, in order to maintain their historical integrity.

Filename	PDF Version Page	Error
jmf_int_transcript_Williams_2_2_1976.pdf	20	"ParkaInd"
jmf_int_transcript_Foster_2_2_1976.pdf	2	"trememdous reseurce"
jmf_int_transcript_Neaves_1976.pdf	6	"Andreas Baselius"
jmf_int_transcript_Schermerhorn_1976.pdf	18	"Moreove"

Some examples of the kinds of errors to be found in the transcripts are provided below.

Well, uh, when I got out of the Armed Forces at the end of World War II, and looked around for a residency, the most attractive thing I saw was a fellowship offered by the atomic energy commission which had just gone public and had established three or four labs for medical research at university medical schools. They were offering fellowships to interested physicians who wanted to learn to use radioactive materials in medical research and treatment. The idea was that radioactive materials could be made to localize in cancer and within a decade cancer would be obliterated and that was honestly the mission of the atomic energy commission's medical research division. It turned out of course that cancer treatment was a very small part of what would eventually be developed out of what came to be known as m nuclear medicine. There are only a few cancers of minor importance that can be treated that way.

menter and cut

However what did happen was that radioactive materials evolved into a major group of diagnostic materials evolved into a major group processes ongoing in patients and in specimens derived from patients. And the full discipline which was sort of generated in those atomic energy laboratories has come to be known as nuclear meldcine. And it started out as a part of radiology and is more closely related to it because of common expertise in handling radiant sources.

And that's why many radiologists were involved in the birth of it including myself. I was then later trained as a radiation therapist but I never same outgrew my schowshe fellowship in the atomic energy laboratory, and I always continued to work at ne nuclear medicine, even though I worked part time for a long while. in other branches of radiology.

When I came down here to Southwestern, there wasn't really any nuclear medicine going xathx and I came here in part because there was an opportunity to start and a new laboratory from scratch. And I brought some colleagues and we developed a pretty good enterprise there was the department of radiology in general ultimately grew to the point where even though I was the chairman of it, I had a fair amount of time that I could devote to nuclear medicine ress arch. And by this time I had developed a group of sophisticated colleagues, to help me in the laboratory and I had made connections with an equally sophisticated group of colleagues in other departments here at the school. One of the great virtues of Southwestern is interdisciplinary research, interdepartmental research.

Itmay be hard to imagine after spending some time around here, but in a number of medical schools the barriers between departments are like frontiers in the old days in the Balkans. There're literally patrolled by armed guards, and by George, onehad backs better not cross them. But they virtually do not exist here formany purposes including teaching and research. And so its easy to find a gruop of talented people to work with who have a great variety of skills. And being associated with such a group is the secret of any ingrite formation in administration. Now, over the years our laboratory did a number of pretty good things with instrumentation and we evolved in the the direction of studying the cardiovascular system and what could be done withit with nuclear medicine tests. And we developed several and they were found to be useful but we got interested in estimating the blood flow to the heart muscle in health and disease.

An d we developed acouple of research techniques for estimating and actually estimating' in terms of quanity per unit time the amount of blood flowing  $\pm$  in the heart muscle, oh uh in first laboratory animals then in patie ts under examinations. And it became evident that we needed to be able to make pictures of the blood flow of the heart in healthy and

: NARCATOR OVER: "DR. BONTE; HIS COLLEMONES DEVELOPED THE HEHRT SCANNER (SIC)

diseased states. We were aware as everybody is who works with nuclear medicine, that radioactive compounds can be made radioactive which will localize selectively in various disease processes. And we therefore began to look for a compound which could be made radioactive which would localize in damaged heart muscle. And we worked with one compound and another for several years and we had only modest success in laboratory animals. But one day at a fonference with some people from cell biology and pathology a discussion started up about the metabolism of damages, irreversibly damaged heart muscle. The proposition was that in the course of arteriosclerotic disease suddenly the blood flow drpos below the required threshold, level muscle cells become irreversible damaged, and they die, and a coronary or a heart attack is the result. If the volume of muscle involved is tolerable, the patient will recover, if the volume of muscle of is so large that the heatr's pump function is damaged beyond the xixxxixix threshold point then the patient dies. unless he gets an artificial organ replacement or some such thing. So it seemesd especially critical to be able to estimate in some direct fashion the amount of muscle that was damaged in a heart attack. The electrocardiogram gave some indirect reflections of the first the existence of damaged muscle and some hazy notion of how much was involved then over a period of yeard some chemical substances in the blood lent themselves to chemical detection and the amounts of them that were present reflected the amount of heart muscle that was damaged. This also might reflect damage to any other muscle as from an injection or wounds on the arm... the tests were not that specific. And so the cardiologists were still hard pressed for evidentce of the quantity of muscly involved and what significance this might be to the heart. And this general area was under discussion at a conference at which one of the pathologistsmentioned that a former member of the department here studying irreversibly damaged heart muscle and knowing that the element calcium rushed into damaged muscle cells in supernormal quantities and wondering why this happened, chanced on an observation the observation was that calcium containing crystals that looked something like the matrix in normal human bone were often found in irretrievably damaged cells. And in that this point I was struck by the fact that this give us and avaluation the structure in the structure of askaniveky.thexeeky.andthexeeky.an in the damaged muscle. Because there's a family of phospates which are related to exclassive ordinary laundry detergents. These phospates can easily be labled with a radioactive element which emitsradiation of the sort useful in making pictures. A common method of testing in nuclear medicine. So I, as soon as the conference was over, as a matter of fact I got out it as soon as I could and call ed the alboratory and told them to set aup an experiment of the sort we had done so often before in which we generated axhaadx heart attack in a several dogs. It was s well kniown the technique that we had perfected many years before. And when there was obvious muscle damage xxbbxxx a day later I caused the animals to receive phospates labled with this element technicium 99M which emitted radiation. We made pictures using the technicium radiation and not only did we see the phospate in its normal location in bone but there was a big star shaped image of the damaged heart muscle. And that began a research program that's now culminated in sixty or sevence TY papers and a test that we've done four thousand times in the coronary care unit at Parkland. And it's being rather widely done around the country and I gather from what Dr. Stokely told me yesterday about an international meeting he had come from it's widely used in western Europe and Japan as well. Well onewould expect this because xf streaway it works. and it does for the first time give the picture of the amount and location of damaged heart muscle in a heart attack. And it is a useful piece of information to have, it's not critical, it isn't going to save the world,

but it's a neat new test. And it has all sorts of implications in the research laboratory. It gives you a tool to use in studying heart attacks, It uh and especially methods to prevent or to treat them once you know vessle closure has occured. The search ... we're still searching for better drugs than the ones that we have been using, but neither we nor anybody else has come up with anything better than the labeled phospates and a new family of drugs may be identified at some time, but for the nonce and probably for the next five r years or so everyone will continue to use labeled phospates. to identify damaged heart muscle in a heart attack. The test is one intended to be done at the bedside in a coronary care unit, using a mobile radiation detector, which ' will assemble the radiation it sees into a picture. And the picture becomes available immediately to the physicians at the bedside. And uh we can cause, without moving the patient can cause pictures to be made in two or three different projections. Various young people in our organization are working on computer programs designed to tell the cardiologists in terms of grams orcc's how much heart muscle is involved this can be done with some, if the picture's good enough. ? was the detector developed specifically for this test? XXXXX

No. The detector's standardized, somehow Bob and Ann have gotten the idea that the detector is the important thing. The detector isn't. The detector is widely **summer** commercially available. However mobile ones designed to be used at the bedside really weren't available before. But the development of this and some other tests for imaging the heart has caused manufacturers to make mobile lightweightsystems to be used at the bedside and they've sold hundreds of them now. to do tests of this sort. But we didn't invent it. And it's a secondayr development to the to the uh, it's like seatbelts there' wouldn't be any if there weren't automobiles.

so the instrument is not the important thing. It's the concept of being able to see on a picture the amount of heart muscle that's irreversibly damaged.

I want to point out that this is not the greatest piece of research that anybody has ever done, it isn't even the best thing that I've done. But it happens to beone of those things that's eyecatching. It's like anything that Jackle Kennedy does it's eyecatching. And for some reason or is other we no sooner had the words out of our mouth at the first meeting which we reported on involved and cases three months after I had made the first observation involved and suddenly all its over the country newspapers areprinting the words as if the messiah had returned again. And although it's intriguing it's not one of the great research developments even at this school. I consider things, made like Exclusion, what Goldstein, Finklestein and Unger have done to be a formidible basic contributions to medical knowledge.

?Was the development of this test at all in line with what you had been anticipating when you began to look for a compound?

Yes, this did exactly what I had been kapikagakagakaga hopeing to find a compound to do. What the meeting did was to provide me with a biological mechanism that I had n't thought of before. Involving a transport of calcium ions.

?How much longer might you have looked if it hadn't been for the meeting? Oh well we'd still be looking.

?Was your plan taking you in that direction?

NO. Nobody could, including ourselves had thought of calcium and phospate ion imbalances as the apeture through which one could leap to being able to image damaged muscle. It turns out, now that we know about it, you can image all

sorts fo damage muscle: burns, brusises, crushing injuries, auto accidents and so forth, and not just the muscle of the heart. Muscle of the rest of the body will respond the same way. And people we know are studying electrical and traumatic burn and so forth to see whether they can quantitate muscel damage. ?Dr. Dowein was speaking of blood calcium, how does it tie int? Yea, phospate is involved in the energy utilized for muscle contraction and calcium is involved in the matabolism of phospate. and also itself in muscle contraction. A lot happens when a heart attack occurs the oxygen level in tissue goes down to the point that cell death results and the cell membranes which are usually selectively permeable to various ions suddenly become much more permeable, uh they become porous and calcium flows in in great quantity and phospate accompanies it. And there's a great deal more exchange of skixxxx calcium and phosphorgoing on than is evident just by the crystals that the pathologist saw and which caused us to experiment with this. That turns out to be a small fraction of the total volume of calcium and phosphors involved. However it was enough to get us started with looking at the process and ultimately labelling it so that itcan be used for medical diagnosis. ?Previous to the conference were you confident that you would eventually solve t his problem?

No, because others and ourselves had been working on it for fifteen years and we really hadn't gotten much of anywhere. There were some agents that would give enfeebled pictures if one took the heart out of the subject animal and filmed it over a period of half an hour and this was a sort of a dim light in a wilderness. But we did not have reason to suppose that there was lurking around on the shelf! an agent commonly used in diagnostic nuclear medicine that could easily supply the answer. Why nobody had seen this before  $\hat{\mathbf{x}}$  while studying the skeleton which one does daily with labelled phospates, you would think that somebody somewhere would have instruction that recently had a heart attack or had so much heart muscle damaged that he accumulated this material. But if it occured nobody made the **b** observation.

? Is there any likelyhood that that line of insury investigation would have been abandoned ....?

Oh well, there are other ways to do it. You can give one or another of different radioactive drugs that localize in the heart muscle that blood still reaches and from the holes x in that pattern you can deduce where heart muscle has been damaged but you can't tell when. As a matter of fact all you can safely say is that blood and therefore the radioactive agent that it carries is not getting to that part of the muscle. So you can't say why the hole is present. It could be a s a scar, the result of a heart attack ten years ago. Or one a day ago or muscle that is not irreversibly damaged. We were also working in that direction and still are.

? You said that this wasn't even the best piece of research that you had done ....? Well, the, maybe the best thing that we've done is a very complex business that does involve instrumentation and we long ago, fifteen years ago, we were the first people who put information from radioactive pictures on magnetic tape so that we could process this with a computer-like program to extract information the real information out of it and discard dat that were not contributory iIn those days, the drugh that we used to emitt the radiation did not localize very precisely,

phosmors

there instruments we used for detecting it were crude, and you had a hell of a time make making anything sex out of the picture. And it' struck us at the laboratory that I came from that it would be a good idea to record RE everything the detector saw on magnetic tape and then computer process it , in essence, to extract the real information from the false information. Such as is done let's say with transmitted lunar photographs. You know they're computer processed a to clarify the detail and we had the first fast data processing system that anybody ever built here. Cancer Society grants helped us to do this. God, it was a crude, management massive old machine! And it distant didn't actually use a computer, but it used a similar circuits to process the information. And of course this is now one of the common modes of handling picture information in nuclear medicine. You record it on tape and process it in a variety of ways to sharpen up the picture. But we did some of the early work and I think scientifically this is a better piece of work may be than the maximum heart muscle imaging test, but gee who remembers anymore. It's so long ago and there are so many layers of information built on xaxxxx top of kix this that sometimes even I forget that we worked on it.

?What was the conventional method of recording information then, just a graph paper recorder?

Yeah, the conventional method of recording was with a solenoid that was activated by a little currents feed to it by the detector which was a small crystal of a particular sort that emitted ligth when it absorbed a xxxxxx pulse of radiation ask and it put out a small electric current; the current was amplified, driven into a solenoid which was activated, and the core of the solenoid acted as a tapper, and it tapped xxxx through carbon paper onto a sheet of tissue paper. And it would make a visible stroke whenever ity say map a particle of radiation was discovered. You picture xommand consisted of a mass of strokes accumulated by the detector that scanned back and forth in a square or rectangular pattern. , in a plane parallel to the patient's body. And boy, sometimes it took a lot of imagination to make a meaningful picture out of all those dots on the tissue paper. And we were seeking to resolve the picture out of a mass of true and non-contributory information. That's why we decided to put it on tape and to process it various ways to get rid of background stray radiation and so forth. ? From other interviews it seems that's a characteristic of research today, to identify the relevant information out of an overwhelming mass of data. Trying to see the true picture through all the starsextax false information. We just happened to be in a situation where we were actually working with a picture, but the principle is the same.

? It axks strikes me that a more conventional type of research is what you described as the discovery of the heart scanner test: Eureka, I found IT. Yeah that's the light bulb approach, where it all of a sudden turns on. ?But much of what I've heard suggests that the information's in there someplace and the researcher's problem is to identify it.

ixi That's correct. That happens to be the case and you try to sort out the real signal from the knows noise. And then to amplify the real signal and add to it. And honestly you have to be lucky to make a quantum jump in your work as we did did we set up the phosphate experiment. Before that I had been working 20 years without and any quantum jump. And expect that as long as I continue for it to work I won't get that lucky again xxxx kmx. But you know it's fun when it happens, but it does not xxxxxxxxx necessarilly mean that the observation that you've made is more valuable that xxxxxxxxxxx he solution of the problem. ? Then it's not the thrill of the quantum jump that you're working for; all

## your work contributes something?

Yeah, and we've done you know gee I've published a hundred twenty papers or something like that. Many of which contain little bax bits of information that may lie takkaxx fallow for many years and but may ultimately turn out to be what somebody else needs as a piece in you know trying to form a picture out of his sea of signals. and noise. I know for a fact that a number of things that I've done have latter been utilized by other people who make much more significant observations than I did, well that's true of anybody who's paxet wetknex productive in research. And conversely when we identified a test for labelling heart muscles inkikx so that one could make a picture out of it I was using and observation made by some good friends of mine at a laboratory in New York. They first learned how to put radioactive emitters on detergent. They weren't looking for a heart test, they were looking for a bone test and they developed a marvelous one. It's a beautiful piece of work. But we couldn't have done what we did without what they had done knows. before. And armed with the compounds that they had developed, I was confident that presented with this mechanism that we could make the pictures that we did. So that, as you say it all fits together and hardly any investigator has the chance to put the whole thing together from scratch. Always using utilizing information generated by somebody else.

?Describe your work in relationship with your coll eagues.

Well, ther are, I would say oh anyway 15-18 people working on various aspects of Imaging of bevat heart attacks, and there are three amjor people among them, one is Bob Parke who is my successor running the nuclear medicine laboratory. he trained in our system and grew up in it, and has participated in this research from the first day. He and I stood there together looking at the first picture. He also bask has special training in computer technology and imaging. And has done you know a lot of original work along ix those lines himself. Then, a key member of the team is an internest who's a cardiologist, Jim Willerson. Willerson runs the coronary care unit at Parkland Hospital and it's willerson's patients who were utilized in the test. Willerson was about the second man to see the picture and he immediately realized its implications for the manipulation management of patients with heart attacks. And he organized the clinical study after we had done the required laboratory basic science for it. Then we were fortunati in adding a young pathaologist by the name of Max Buja, who is a cardiac pathalogist, and he specializes full time in cardiac xathaskxx pathology. Through Max Buja we study the mechanism of localization of these drugs in damaged heart muscle. And Buja has learned more about his process than anybody anywhere else. Without' these three people none of us could have gottenas far with this as we have done. Then there's a formidable group of about a dozen and a half young individuals in five or six departments who've explored one of x or another avenues of this problem, under either the general supervision of Willerson, or Parke, or Buja, or some combination of them. Now I review what's going on with Willerson, Parke and Buja and we have lunch periodically and they tell me what's going on and where the problems are . And I make suggestiong, Why don't you do this , why don't wax you try kizix that. And if everybody thinks it makes sense, they go doit. . And once in a while it works, xiks So I keep in touch with things the thing and I probably see Willerson xxxxx oftenest of all of them. because being the clinician he has maybe the best overview of what's going on. Yet he's xxx faunchexx profoundly grounded in the basic sciences and he knows a hell of a lot about nuclear medicine by this xtx ine too. as does Max Buja becausex with x of his contact with it. And we have other valuable people,

LUNCH

biomedical engineers Earnie Stokley, David Mishelevich and his people all are involved with some aspect of this research. And it's supported by a center grant from the National Heart and Lung Institute soon after we identified this we got together and decided that this and a few other things were being done around here were important ananghix enough to try for a new center program that the Heart Institute had announced in the area of myocardial ischemia or low blood supply. So we put together a proposal of which Willerson served as the moderator or principle investigator, and great group of people waskinking kkernasekxx keanexx visited here and heard our proposal and they funded our research center here and the study of the physiology of heart attacks. And because of the availability of funds trainees have collected around the program and it's a major research enterprize which is as I say involves six or eight departments. And it involves some people I've never even met because xhux they're three steps remote faxx from me. Every once in a while I see some a some body delivers me a paper and I'm now down about six or seven from the authors with Willerson near the bottom and here is some young fellow who's made an awax observation. in this field and I find out about it when I review things with Willerson and Parke. But there's a large group of talented people now at work and I keep in touch with them through the top. 7It seems to me that you account separation from the lab must provide and some essential sort of different ap perspective?

Yes it does and as a matter of fact it, there's a lot of detail going on that I'm no longer aware of and that's that's the one thing that bothers me the most. When I was working in the laboratory before I knew everything that's was going on. And I you know, was constantly trying to keep pieces that fit and throw away pieces that didn't fit. And we'd organize little excursions down alleys that turned out to be blind. Well I don't even know ablut some of the alleys. But every once in a while I find out about 'em and you know other I find have not identified them as alleys, so I talk to Willerson and Parke and we organize a little excursion and sometimes you know there's a lamp at the end of the tunnell and other times a rock wall. But there's no substitute foe it, because I spend 95% of my time in administration. which goes with the job.. But I have a rare opportunity to **xeexakexective** and **x** remain active in research.

That's an awfully graphic description of the sense of investigation ....? It really is. See you, there are tunnels that come to blind ends, there are tunnels that taper down xxxx such a tiny aperature that you findyou can't get through them you don't know whether there's some big cavern or something on the other side or not, onece in a while there is. And others a tunnel will narrow down and suddenly will blossom into something productive, a whole new series of caves. ?You have a very physical sense of your work..?

O yeah I know whereit's all going, what the ultimate outcome of it all is I really don't know. But what I do know is that we've discovered aninteresting way to look at some of the processes that go on when heart muscle is damaged in a heart attack. It turns out that you can use this process to makepictures too which is a, I tink think, the feature of it that captured public attention. Whether it should have or not I don't know, but you know how the media work these days. There's a constant struggle going on to find something new, topical, interesting, not previously described and so forth.