

Region	Study	N (pregnancies)	% Active disease	% LN	% Flare	% Live Birth	% Fetal Loss	% of Pre-eclampsia	% IUGR	% Preterm Birth	% NND
India	Aggarwal et al	15	26.7%	13.3%	13.3%	86.7%	13.3%	13%	40.0%	33.3%	0.0%
	Chandran et al	52	67.7%	38.7%	5.8%	46.2%	50.0%	8%	1.9%	1.9%	3.8%
	Gupta et al	33	47.1%	52.9%	27.3%	45.5%	36.4%	3%	12.1%	6.1%	0.0%
SE Asia	Tan et al	27	5.6%	38.9%	11.1%	85.2%	14.8%	22%	18.5%	7.4%	0.0%
	Teh et al	17	12.5%	50.0%	35.3%	82.4%	17.6%	24%	29.4%	11.8%	
	Phadungkiatwattana et al	68	26.5%	27.9%	29.4%	89.7%	10.3%	21%	29.4%	39.7%	10.3%
	Sittiwangkul et al	48	7.1%	31.0%	33.3%	72.9%	27.1%	0%		29.2%	0.0%
China	Ku et al	109	--	34.9%	45.0%	61.5%	38.5%		8.3%	8.3%	
Africa	Dey et al	7	83.3%	50.0%	14.3%	57.1%	42.9%		0.0%		0.0%
	Hussein et al	91	0.0%	58.3%	50.5%	76.9%	23.1%	13%	31.9%	13.2%	3.3%
	Mbuli et al	61	--	49.0%	36.1%	59.0%	41.0%	20%			4.9%
	Whitelaw et al	47	22.6%	29.0%	12.8%	76.6%	23.4%	26%	10.6%	29.8%	